

BRIGHT FUTURES HANDOUT ► PARENT

12 MONTH VISIT



Here are some suggestions from Bright Futures experts that may be of value to your family.

✓ HOW YOUR FAMILY IS DOING

- If you are worried about your living or food situation, reach out for help. Community agencies and programs such as WIC and SNAP can provide information and assistance.
- Don't smoke or use e-cigarettes. Keep your home and car smoke-free. Tobacco-free spaces keep children healthy.
- Don't use alcohol or drugs.
- Make sure everyone who cares for your child offers healthy foods, avoids sweets, provides time for active play, and uses the same rules for discipline that you do.
- Make sure the places your child stays are safe.
- Think about joining a toddler playgroup or taking a parenting class.
- Take time for yourself and your partner.
- Keep in contact with family and friends.

✓ ESTABLISHING ROUTINES

- Praise your child when he does what you ask him to do.
- Use short and simple rules for your child.
- Try not to hit, spank, or yell at your child.
- Use short time-outs when your child isn't following directions.
- Distract your child with something he likes when he starts to get upset.
- Play with and read to your child often.
- Your child should have at least one nap a day.
- Make the hour before bedtime loving and calm, with reading, singing, and a favorite toy.
- Avoid letting your child watch TV or play on a tablet or smartphone.
- Consider making a family media plan. It helps you make rules for media use and balance screen time with other activities, including exercise.

✓ FEEDING YOUR CHILD

- Offer healthy foods for meals and snacks. Give 3 meals and 2 to 3 snacks spaced evenly over the day.
- Avoid small, hard foods that can cause choking—popcorn, hot dogs, grapes, nuts, and hard, raw vegetables.
- Have your child eat with the rest of the family during mealtime.
- Encourage your child to feed herself.
- Use a small plate and cup for eating and drinking.
- Be patient with your child as she learns to eat without help.
- Let your child decide what and how much to eat. End her meal when she stops eating.
- Make sure caregivers follow the same ideas and routines for meals that you do.

✓ FINDING A DENTIST

- Take your child for a first dental visit as soon as her first tooth erupts or by 12 months of age.
- Brush your child's teeth twice a day with a soft toothbrush. Use a small smear of fluoride toothpaste (no more than a grain of rice).
- If you are still using a bottle, offer only water.

Helpful Resources: Smoking Quit Line: 800-784-8669 | Family Media Use Plan: www.healthychildren.org/MediaUsePlan
Poison Help Line: 800-222-1222 | Information About Car Safety Seats: www.safercar.gov/parents | Toll-free Auto Safety Hotline: 888-327-4236

12 MONTH VISIT—PARENT



SAFETY

- Make sure your child's car safety seat is rear facing until he reaches the highest weight or height allowed by the car safety seat's manufacturer. In most cases, this will be well past the second birthday.
- Never put your child in the front seat of a vehicle that has a passenger airbag. The back seat is safest.
- Place gates at the top and bottom of stairs. Install operable window guards on windows at the second story and higher. Operable means that, in an emergency, an adult can open the window.
- Keep furniture away from windows.
- Make sure TVs, furniture, and other heavy items are secure so your child can't pull them over.
- Keep your child within arm's reach when he is near or in water.
- Empty buckets, pools, and tubs when you are finished using them.
- Never leave young brothers or sisters in charge of your child.
- When you go out, put a hat on your child, have him wear sun protection clothing, and apply sunscreen with SPF of 15 or higher on his exposed skin. Limit time outside when the sun is strongest (11:00 am–3:00 pm).
- Keep your child away when your pet is eating. Be close by when he plays with your pet.
- Keep poisons, medicines, and cleaning supplies in locked cabinets and out of your child's sight and reach.
- Keep cords, latex balloons, plastic bags, and small objects, such as marbles and batteries, away from your child. Cover all electrical outlets.
- Put the Poison Help number into all phones, including cell phones. Call if you are worried your child has swallowed something harmful. Do not make your child vomit.

WHAT TO EXPECT AT YOUR CHILD'S 15 MONTH VISIT

We will talk about

- Supporting your child's speech and independence and making time for yourself
- Developing good bedtime routines
- Handling tantrums and discipline
- Caring for your child's teeth
- Keeping your child safe at home and in the car

Consistent with *Bright Futures: Guidelines for Health Supervision of Infants, Children, and Adolescents*, 4th Edition

For more information, go to <https://brightfutures.aap.org>.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



The information contained in this handout should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances. Original handout included as part of the *Bright Futures Tool and Resource Kit*, 2nd Edition.

Inclusion in this handout does not imply an endorsement by the American Academy of Pediatrics (AAP). The AAP is not responsible for the content of the resources mentioned in this handout. Web site addresses are as current as possible but may change at any time.

The American Academy of Pediatrics (AAP) does not review or endorse any modifications made to this handout and in no event shall the AAP be liable for any such changes.

© 2019 American Academy of Pediatrics. All rights reserved.

Your Child at 1 Year



Child's Name _____

Child's Age _____

Today's Date _____

Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by age 1. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What Most Children Do by this Age:

Social/Emotional

- Is shy or nervous with strangers
- Cries when mom or dad leaves
- Has favorite things and people
- Shows fear in some situations
- Hands you a book when he wants to hear a story
- Repeats sounds or actions to get attention
- Puts out arm or leg to help with dressing
- Plays games such as "peek-a-boo" and "pat-a-cake"

Language/Communication

- Responds to simple spoken requests
- Uses simple gestures, like shaking head "no" or waving "bye-bye"
- Makes sounds with changes in tone (sounds more like speech)
- Says "mama" and "dada" and exclamations like "uh-oh!"
- Tries to say words you say

Cognitive (learning, thinking, problem-solving)

- Explores things in different ways, like shaking, banging, throwing
- Finds hidden things easily
- Looks at the right picture or thing when it's named
- Copies gestures
- Starts to use things correctly; for example, drinks from a cup, brushes hair
- Bangs two things together
- Puts things in a container, takes things out of a container
- Lets things go without help
- Pokes with index (pointer) finger
- Follows simple directions like "pick up the toy"

Movement/Physical Development

- Gets to a sitting position without help
- Pulls up to stand, walks holding on to furniture ("cruising")
- May take a few steps without holding on
- May stand alone

You Know Your Child Best.

Act early if you have concerns about the way your child plays, learns, speaks, acts, or moves, or if your child:

- Is missing milestones
- Doesn't crawl
- Can't stand when supported
- Doesn't search for things that she sees you hide
- Doesn't say single words like "mama" or "dada"
- Doesn't learn gestures like waving or shaking head
- Doesn't point to things
- Loses skills he once had

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay and ask for a developmental screening.

If you or the doctor is still concerned

1. Ask for a referral to a specialist and,
2. Call your state or territory's early intervention program to find out if your child can get services to help. Learn more and find the number at cdc.gov/FindEI.

For more information, go to cdc.gov/Concerned.

DON'T WAIT.
Acting early can make a real difference!



www.cdc.gov/ActEarly
1-800-CDC-INFO (1-800-232-4636)



Download CDC's
Milestone Tracker App



Learn the Signs. Act Early.

Help Your Child Learn and Grow



You can help your child learn and grow. Talk, read, sing, and play together every day. Below are some activities to enjoy with your 1-year-old child today.

What You Can Do for Your 1-Year-Old:

- Give your child time to get to know a new caregiver. Bring a favorite toy, stuffed animal, or blanket to help comfort your child.
- In response to unwanted behaviors, say "no" firmly. Do not yell, spank, or give long explanations. A time out for 30 seconds to 1 minute might help redirect your child.
- Give your child lots of hugs, kisses, and praise for good behavior.
- Spend a lot more time encouraging wanted behaviors than punishing unwanted behaviors (4 times as much encouragement for wanted behaviors as redirection for unwanted behaviors).
- Talk to your child about what you're doing. For example, "Mommy is washing your hands with a washcloth."
- Read with your child every day. Have your child turn the pages. Take turns labeling pictures with your child.
- Build on what your child says or tries to say, or what he points to. If he points to a truck and says "t" or "truck," say, "Yes, that's a big, blue truck."
- Give your child crayons and paper, and let your child draw freely. Show your child how to draw lines up and down and across the page. Praise your child when she tries to copy them.
- Play with blocks, shape sorters, and other toys that encourage your child to use his hands.
- Hide small toys and other things and have your child find them.
- Ask your child to label body parts or things you see while driving in the car.
- Sing songs with actions, like "The Itsy Bitsy Spider" and "Wheels on the Bus." Help your child do the actions with you.
- Give your child pots and pans or a small musical instrument like a drum or cymbals. Encourage your child to make noise.
- Provide lots of safe places for your toddler to explore. (Toddler-proof your home. Lock away products for cleaning, laundry, lawn care, and car care. Use a safety gate and lock doors to the outside and the basement.)
- Give your child push toys like a wagon or "kiddie push car."

Milestones adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann © 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics.

This milestone checklist is not a substitute for a standardized, validated developmental screening tool.

www.cdc.gov/ActEarly | 1-800-CDC-INFO (1-800-232-4636)



Learn the Signs. Act Early.



A Guide to Children's Dental Health

The road to a bright smile begins long before the first tooth appears. Parents play a big part in helping their children develop healthy teeth. Early monitoring by your child's doctor and dentist is important.

Steps to good dental health include

- Regular care by a dentist trained to treat young children
(See *What is a pediatric dentist?*)
- Getting enough fluoride
- Regular brushing and flossing
- Eating right

Read on for information from the American Academy of Pediatrics (AAP) about why fluoride is important, when to start cleaning your child's teeth, if pacifier use or thumb-sucking hurts teeth, how to prevent tooth decay, pediatric dentists, and regular dental checkups.

Why is fluoride important?

Fluoride is a natural substance that can be added to drinking water and toothpaste. It strengthens tooth enamel (the hard outer coating on teeth). Fluoride also helps repair early damage to teeth.

Children should drink water with fluoride in it when available. If not available, talk with your child's doctor or pediatric dentist to see if your child needs fluoride tablets or drops. Your child may also have fluoride varnish applied to his teeth by his doctor or pediatric dentist.

When should I start cleaning my child's teeth?

Daily tooth cleaning should start as soon as your baby's first tooth appears. Wipe the teeth with a piece of gauze or a damp cloth at least twice daily, after meals. Switch to a soft toothbrush with a fluoride toothpaste once your child has a tooth.

A smear (the size of a grain of rice) of fluoride toothpaste should be used for children younger than 3 years. For children 3 and older, a pea-sized amount of fluoride toothpaste should be used. Because children tend to swallow toothpaste, using too much fluoride toothpaste while brushing may result in fluorosis (spotting of the teeth).

Also, check the teeth for early signs of tooth decay. Tooth decay appears as white, yellow, or brown spots or lines on the teeth. Any 2 teeth that are touching each other should be flossed to prevent a cavity from forming between the teeth. An ideal baby bite should have gaps between the front teeth.

Does pacifier use or thumb-sucking hurt teeth?

If a child sucks strongly on a pacifier, his thumb, or his fingers, this habit may affect the shape of his mouth or how his teeth are lining up. If he stops using a pacifier by 3 years of age, his bite will most likely correct itself. If he stops sucking on a pacifier, his thumb, or his fingers before his permanent front teeth come in, there's a chance his bite will correct itself. If he continues his sucking habit after his adult teeth have come in, orthodontic care may be needed to realign his teeth.

How can I prevent tooth decay in my baby or child?

Parents, especially if they have a history of cavities, can pass germs that cause cavities and gum disease if they share food or drinks with their children. This is why it is important for parents to keep the following tips in mind:

- Do not share your food or drinks with your children.
- Do not lick your children's spoons, forks, or pacifiers.
- Do make sure to keep your gums and teeth healthy and schedule regular dental checkups. Pregnant women should make sure their gums and teeth are healthy too.

Other ways parents can help prevent tooth decay in their babies and children include

- If you put your child to bed with a bottle, fill it only with water.
- If your child drinks from a bottle or sippy cup, make sure to fill it only with water when it's not mealtime.
- If your child wants a snack, offer a healthy one like fruits or vegetables. (To help your child avoid choking, make sure anything you give your child is soft, easy to swallow, and cut into small pieces no larger than one-half an inch.)
- Avoid sweet or sticky snacks, such as raisins, gummy candies and vitamins, or Fruit Roll-Ups or cookies. There is sugar in foods like crackers and chips too. They should only be eaten at mealtime.
- If your child is thirsty, give her water or milk. If your child drinks milk at bedtime, make sure to clean her teeth afterward. Don't let your child sip drinks that have sugar and acid, such as juices, sports drinks, flavored drinks, lemonade, soft drinks (soda, pop), or flavored teas.

What is a pediatric dentist?

During regular well-child visits, your child's pediatrician will check your child's teeth and gums to make sure they are healthy. If your child has dental problems, your child's pediatrician will refer her to a pediatric dentist or a general dentist trained to treat young children.

A pediatric dentist specializes in the care of children's teeth, but some general dentists also treat children. Pediatricians refer children younger than 1 year to a dental professional if the child

- Chips or injures a tooth or has an injury to the face or mouth.
- Has teeth that show any signs of discoloration. This could be a sign of tooth decay or trauma.
- Complains of tooth pain or is sensitive to hot or cold foods or liquids. This could also be a sign of decay.
- Has any abnormal lesion (growth) inside the mouth.
- Has an unusual bite (the teeth do not fit together right).

Find a pediatric dentist in your area on the American Academy of Pediatric Dentistry Web site at www.aapd.org.

When should my child begin regular dental checkups?

From Your Doctor 

The AAP recommends that all infants receive oral health risk assessments by 6 months of age. Infants at higher risk of early dental caries should be referred to a dentist as early as 6 months of age, and no later than 6 months after the first tooth erupts or 12 months of age (whichever comes first) to establish their dental home. Every child should have a dental home established by 12 months of age.

American Academy of Pediatrics
DEDICATED TO THE HEALTH OF ALL CHILDREN®



healthychildren.org
Powered by pediatricians. Trusted by parents.
from the American Academy of Pediatrics


The American Academy of Pediatrics (AAP) is an organization of 66,000 primary care pediatricians, pediatric medical subspecialists, and pediatric surgical specialists dedicated to the health, safety, and well-being of infants, children, adolescents, and young adults.

The persons whose photographs are depicted in this publication are professional models. They have no relation to the issues discussed. Any characters they are portraying are fictional. Listing of resources does not imply an endorsement by the American Academy of Pediatrics (AAP). The AAP is not responsible for the content of external resources. Information was current at the time of publication. Products are mentioned for informational purposes only and do not imply an endorsement by the American Academy of Pediatrics. The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

© 2016 American Academy of Pediatrics, Reaffirmed 07/2017. All rights reserved.

Keep Your Family Safe

Fire Safety and Burn Prevention at Home



Fires and burns cause almost 4,000 deaths and about 20,000 hospitalizations every year. Winter is an especially dangerous time, as space heaters, fireplaces, and candles get more use in the home. It is no surprise that fires in the home are more common between December and February. However, you might be surprised at how easy it is to reduce the risk of fire in your home. Follow these suggestions to help keep your home and family safe from fire all year round.

Smoke alarms save lives

Half of home fire deaths are due to fires that happen while people are sleeping. One of the most important steps you can take to protect your family against fire is to install smoke alarms and keep them in good working order. You can buy smoke alarms at most home and hardware stores, and they often cost \$10 or less. Check with your fire department to see if they give out and install free smoke alarms.

- **Install** smoke alarms outside every bedroom or any area where someone sleeps. Also install them in furnace areas. Be sure there is at least 1 alarm on every level of your home, including the basement, or at each end of a mobile home.
- **Place** smoke alarms away from the kitchen and bathroom. False alarms can occur while cooking or even showering.
- **Test** smoke alarms every month by pushing the test button. It is best to use smoke alarms that have long-life batteries, but if you do not, change the batteries at least once a year, such as when you change your clocks in the fall.
- **Replace** smoke alarms every 10 years.
- **Never** paint a smoke alarm.
- **Clean** (dust or vacuum) smoke alarms once a month.
- **Use** smoke alarms equipped with a flashing light and an alarm in homes with children or adults who are hard of hearing or deaf.

Safety around the home

Take a careful look at each room of your home.

Use the following checklists and safety tips to reduce the risk of fire:

- **Do not smoke in your home.** If you do, use deep ashtrays and do not smoke in bed.
- **Make an escape plan.** Practice it every 6 months. Every member of the family should know at least 2 exits from each room and where to meet outside. Make sure doors and windows are easy to open to permit easy escape if needed.
- **Check electrical cords.** Replace any electrical cords that are worn, frayed, or damaged. Never overload outlets. Avoid running electrical cords under carpets or furniture because they can overheat and start a fire.

- **Consider installing an automatic home fire sprinkler system.** They are now practical for many homes.
- **Ask your local fire department to make sure woodstoves in your home are safely vented.** They usually cannot be installed safely in mobile homes.
- **Avoid using kerosene heaters and electric space heaters.** If electric space heaters must be used, keep them away from clothing, bedding, and curtains, and unplug them at night. Kerosene heaters give off carbon monoxide and should not be used in enclosed spaces, such as inside your home.

Bedrooms

- Check the labels of your child's pajamas. Children should always wear flame-retardant and/or close-fitting sleepwear.
- If a bedroom is on an upper floor, make sure there is a safe way to reach the ground, such as an escape ladder that will not burn.
 - ◆ *Never smoke in bed or when you are drowsy or have been drinking. Tobacco and smoking products, matches, and lighters are the most common cause of fatal fires in the home.*

Living and family rooms

Make sure all matches, lighters, and ashtrays are out of your child's sight and reach. Better yet, keep them in a locked cabinet.

- Use large, deep ashtrays that won't tip over, and empty them often. Fill ashtrays with water before dumping ashes in the wastebasket.
- Give space heaters plenty of space. Keep heaters at least 3 feet from anything that might burn, like clothes, curtains, and furniture. Always turn space heaters off and unplug them when you go to bed or leave the home.
- Have fireplaces and chimneys cleaned and inspected once a year.
- Use a metal screen or glass doors in front of the fireplace.
 - ◆ *Never leave a room unattended when candles, heaters, or fireplaces are in use.*

Kitchen

- Keep your stove and oven clean and free of anything that could catch fire. Do not place pot holders, curtains, or towels near the burners.
- Install a portable fire extinguisher in the kitchen, high on a wall, and near an exit. (Choose a multipurpose, dry chemical extinguisher.) Adults should know how to use it properly when the fire is small and contained, such as in a trash can. Call your fire department for information on how to use fire extinguishers.
 - ◆ *Never leave cooking food unattended.*

- ◆ *Never pour water on a grease fire.*
- ◆ *If a fire starts in your oven, keep the oven door closed, turn off the oven, and call the fire department.*

Garage, storage area, and basement

- Have your furnace inspected at least once a year.
- Do not store anything near a heater or furnace. Keep the area free of clutter.
- Clean your dryer's lint filter after every use. Lint buildup can start a fire.
- Check to make sure paint and other flammable liquids are stored in their original containers, with tight-fitting lids. Store them in a locked cabinet if possible, out of your child's reach, and away from appliances, heaters, pilot lights, and other sources of heat or flame.
- Never use flammable liquids near a gas water heater.
- Store gasoline, propane, and kerosene outside the home in a shed or detached garage. Keep them tightly sealed and labeled in approved safety containers.
 - ◆ *Gasoline should be used only as a motor fuel, never as a cleaning agent.*
 - ◆ *Never smoke near flammable liquids.*

Outdoors

- Move barbecue grills away from trees, bushes, shrubs, or anything that could catch fire. Never use grills indoors, on a porch, or on a balcony.
- Place a barrier around open fires, fire pits, or campfires. Never leave a child alone around the fire. Always be sure to put the fire out completely before leaving or going to sleep.
- Create a "fire break" around your home. Make sure woodpiles, dead leaves, pine needles, and debris are removed or kept as far away from the home as possible.
 - ◆ *Do not start lawnmowers, snow blowers, or motorcycles near gasoline fumes. Let motors cool off before adding fuel.*
 - ◆ *Be very careful with barbecue grills. Never use gasoline to start the fire. Do not add charcoal lighter fluid once the fire has started.*

Know what to do in a fire

- **Test any closed doors with the back of your hand for heat.** Do not open the door if you feel heat or see smoke. Close all doors as you leave each room to keep the fire from spreading.
- **Crawl low under smoke.** Choose the safest exit. If you must escape through a smoky area, remember that cleaner air is always near the floor. Teach your child to crawl on her hands and knees, keeping her head less than 2 feet above the floor, as she makes her way to the nearest exit.
- **Don't stop. Don't go back.** In case of fire, do not try to rescue pets or possessions. Once you are out, do not go back in for any reason. Firefighters have the best chance of rescuing people who are trapped. Let firefighters know right away if anyone is missing.
- **If you get trapped by smoke or flames,** close all doors. Stuff towels or clothing under the doors to keep out smoke. Cover your nose and mouth with a damp cloth to protect your lungs. If there is no phone in the room, wait at a window and signal for help with a light-colored cloth or flashlight.
- **Stop, drop, and roll! Cool and call.** Make sure your child knows what to do if her clothes catch fire.

Stop!—Do not run.

Drop!—Drop to the ground right where you are.

Roll!—Roll over and over to put out the flames. Cover your face with your hands.

Cool!—Cool the burned area with water.

Call!—Call for help.

Fire and children

A child's curiosity about fire is natural and in most cases is no cause for concern. However, when a child begins to use fire as a weapon, it can be very dangerous. If you suspect that your child is setting even very small fires, address the problem right away. Talk with your pediatrician, who can suggest ways to help.

Use the following tips when talking with your child about preventing fires:

- Teach your child that matches and lighters are tools for grown-ups only.
- Older children should be taught to use fire properly, and only with an adult present.

For your sitters

When you are away from home and someone else cares for your children, make sure that your children and the sitter will be just as safe as when you are there.

- Let your sitter know about your family's escape plan.
- Remind sitters never to leave the children alone.
- Remind sitters that you do not allow smoking in or around your home.

Leave emergency information near the phone. Include the local fire department phone number, your full home address and phone number, and a neighbor's name and phone number.

Burn prevention

Most burn injuries happen in the home. For a young child, many places in the home can be dangerous.

Hot bathwater, radiators, and even food that is too hot can cause burns. The following are tips to help prevent your child from getting burned:

- Keep matches, lighters, and ashtrays out of the reach of children.
- Cover all unused electrical outlets with plastic plugs or other types of outlet covers.
- Do not allow your child to play close to fireplaces, radiators, or space heaters.
- Replace all frayed, broken, or worn electrical cords.
- Never leave barbecue grills unattended.
- Teach your children that irons, curling irons, grills, radiators, and ovens can get very hot and are dangerous to touch or play near. Never leave these items unattended. Unplug and put away all appliances after using them.
- Keep electrical cords from hanging down where children can pull on them or chew on them. Mouth burns can result from chewing on a live extension cord or on a poorly insulated wire.

Kitchen concerns

- Never leave a child alone in the kitchen when food is cooking.
- Enforce a "kid-free" zone at least 3 feet around the oven or stove while you are cooking. Use a playpen, high chair, or other stationary device to keep your child from getting too close.

- Never leave a hot oven door open.
- Use back burners if possible. When using front burners, turn pot handles rearward. Never let them stick out where a child could grab them.
- Do not leave spoons or other utensils in pots while cooking.
- Turn off burners and ovens when they are not being used.
- Do not use wet pot holders because they may cause steam burns.
- Carefully place (not toss) wet foods into a deep fryer or frying pan containing grease. The reaction between hot oil and water causes splatter.
- Remove pot lids carefully to avoid being burned by steam. Remember, steam is hotter than boiling water.
- In case of a small pan fire, carefully slide a lid over the pan to smother the flames, turn off the burner, and wait for the pan to cool completely.
- Never carry your child and hot liquids at the same time.
- Never leave hot liquid, like a cup of coffee, where children can reach it. Don't forget that a child can get burned from hot liquids by pulling on hanging tablecloths.
- Wear tight-fitting or rolled-up sleeves when cooking to reduce the risk of your clothes catching on fire.
- In microwave ovens, use only containers that are made for microwaves. Test microwaved food for heat and steam before giving it to your child. (Never warm a bottle of milk or formula in the microwave oven. It can heat the liquid unevenly and burn your child.)
- Avoid letting appliance cords hang over the sides of countertops, where children could pull on them.
- Do not use mobile baby walkers. They allow your child to move quickly before he knows how to use this mobility safely. It may allow him to gain access to hot liquids, appliance cords, and hot surfaces.

Hot water

- The hottest water temperature at the faucet should be no higher than 120°F to prevent scalding. In many cases, you can adjust your water heater to prevent exceeding this temperature.
- When using tap water, always turn on the cold water first, then add hot. When finished, turn off the hot water first.
- Test the temperature of bathwater with your forearm or the back of your hand before placing your child in the water.
- Use a cool-mist vaporizer instead of a hot-water vaporizer. Hot-water vaporizers can cause steam burns or can spill on your child.
- Never leave children alone in the bathroom for any reason. They are at risk of burns and drowning.

First aid for burns

For severe burns, call 911 or your local emergency number right away. Until help arrives, follow these steps.

1. Cool the burn.

For 1st and 2nd degree burns, cool the burned area with cool running water for a few minutes. This helps stop the burning process, numbs the pain, and prevents or reduces swelling. Do not use ice on a burn. It may delay healing. Also, do not rub a burn; it can increase blistering.

For 3rd degree burns, cool the burn with wet, sterile dressings until help arrives.

2. Remove burned clothing.

Lay the person flat on her back and take off the burned clothing that isn't stuck to the skin. Remove any jewelry or tight-fitting clothing from around the burned area before swelling begins. If possible, elevate the injured area.

3. Cover the burn.

After the burn has cooled, cover it loosely with a dry bandage or clean cloth. Do not break any blisters. This could allow bacteria into the wound. Never put grease (including butter or medical ointments) on the burn. Grease holds in heat, which may make the burn worse. It also makes the burn harder to examine by medical personnel later.

4. Keep the child from losing body heat.

Keep the person's body temperature normal. Cover unburned areas with a dry blanket.

Fire drills—be prepared!

Even young children (3 and older) can begin to learn what to do in case of a fire.

Install at least 1 smoke alarm on every level of your home.

Have an escape plan and practice it with your family. This will help you and your family reach safety when it counts. When a fire occurs, there will be no time for planning an escape.

Draw a floor plan of your home. Discuss with your family 2 ways to exit every room. Make sure everyone knows how to get out and that doors and windows can be easily opened to permit escape.

If you live in an apartment building, never use an elevator during a fire. Use the stairs!

Agree on a meeting place. Choose a spot outside your home near a tree, street corner or fence where everyone can meet after escaping. Teach your children that the sound of a smoke alarm means to go outside right away to the chosen place.

Know how to call the fire department. The fire department should be called from outside using a portable phone or from a neighbor's home. Whether the number is 911 or a regular phone number, everyone in the family should know it by heart. Make sure your children know your home address too. Teach your children that firefighters are friends and never to hide from them.

Practice, practice, practice. Practice your exit drill at least twice a year. Remember that fire drills are not a race. Get out quickly, but calmly and carefully. Try practicing realistic situations. Pretend that some exits or doorways are blocked or that the lights are out. The more prepared your family is, the better your chances of surviving a fire.

Note: Parents of very young children or children with special needs should have a safety plan that fits their child's needs and abilities. For example, a child who is hard of hearing or deaf may need a smoke alarm with a flashing strobe-light feature. Parents with children younger than 5 years must plan on an adult rescuing them in the case of a house fire; they are too young to be able to reliably rescue themselves.

Different degrees of burns

Following are the 4 different levels of burns and the symptoms of each:

1st degree burns are minor and heal quickly. Symptoms are redness, tenderness, and soreness (like most sunburns).

2nd degree burns are serious injuries. First aid and medical treatment should be given as soon as possible. Symptoms are blistering (like a severe sunburn), pain, and swelling.

3rd degree burns (also called full-thickness burns) are severe injuries. Medical treatment is needed right away. Symptoms are white, brown, or charred tissue often surrounded by blistered areas. There may be little or no pain at first.

4th degree burns are severe injuries that involve skin, muscle, and bone. These often occur with electrical burns and may be more severe than they appear. They may cause serious complications and should be treated by a doctor right away.

Call your pediatrician if your child suffers anything more than a minor burn. ALL electrical burns and any burn on the hand, foot, face, genitals, or over a joint worse than 1st degree should receive medical attention right away.

From your doctor

Adapted from material provided by the National Fire Protection Association (NFPA). For more information, call 617/770-3000, or visit the NFPA Web site at www.nfpa.org or its family Web site at www.sparky.org.

Please note: Listing of resources does not imply an endorsement by the American Academy of Pediatrics (AAP). The AAP is not responsible for the content of the resources mentioned in this publication. Phone numbers and Web site addresses are as current as possible, but may change at any time.

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

The American Academy of Pediatrics is an organization of 60,000 primary care pediatricians, pediatric medical subspecialists, and pediatric surgical specialists dedicated to the health, safety, and well-being of infants, children, adolescents, and young adults.

American Academy of Pediatrics
Web site—www.aap.org

Copyright © 2007
American Academy of Pediatrics, Updated 4/07



A Parent's Guide to Water Safety

Drowning is one of the top causes of injury and death in children. Children can drown in pools, rivers, ponds, lakes, or oceans. They can even drown in a few inches of water in bathtubs, toilets, and large buckets.

Here is information from the American Academy of Pediatrics (AAP) about how to keep your children safe in or around water.

Water Safety at Home

Parents need to keep a close eye on infants and young children, especially as they learn to crawl.

To keep your child safe, make sure you

- **Never leave your child alone in the bathtub—even for a moment.** Many bathtub drownings happen (even in a few inches of water) when a parent leaves a small child alone or with another young child. Also, bath seats are just bathing aids. Bath seats can tip over and your child can slip out of them, so they won't prevent drowning.
- **Empty water from containers, such as large pails and 5-gallon buckets, immediately after use.**
- **Keep bathroom doors closed.** Install doorknob covers or a hook-and-eye latch or other lock that is out of the reach of your small child.
- **Keep toilets closed.** Always close the toilet lid, and consider using a toilet lid latch.

Water Safety at the Pool

An adult should actively watch children at all times while they are in a pool. For infants and toddlers, an adult should be in the water and within arm's reach, providing "touch supervision." For older children, an adult should be paying constant attention and free from distractions, like talking on the phone, socializing, tending to household chores, or drinking alcohol. The supervising adult must know how to swim.

Pool Rules


If you have a pool, insist that the following rules are followed:

- No one, adult or child, should ever swim alone.
- Keep toys away from the pool when the pool is not in use.
- Empty small blow-up pools after each use.
- No tricycles or other riding toys at poolside.
- No electrical appliances near the pool.
- No diving in a pool that is not deep enough.
- No running on the pool deck.


Pool Fences

Children can climb out a window, climb through a doggy door, or sneak out a door to get to the backyard and the pool. To prevent small children from entering the pool area on their own, there should be a fence that completely surrounds the pool or spa. Combined with the watchful eyes of an adult, a fence is the best way to protect your child and other children who may visit or live nearby.

RIGHT!



WRONG!



A fence should completely surround the pool, isolating it from the house.

Pool fences should also

- Be climb-resistant and not have anything alongside them (such as lawn furniture) that can be used to climb them.
- Be at least 4 feet high and have no footholds or handholds that could help a child climb them.
- Have no more than 4 inches between vertical slats. Chain-link fences are very easy to climb and are not recommended as pool fences. If they must be used, the diamond shape should not be bigger than 13/4 inches.
- Have a gate that is well maintained and is self-closing and self-latching. It should only open away from the pool. The latches should be higher than a child can reach—54 inches from the bottom of the gate.
- For aboveground pools always keep children away from steps or ladders. When the pool is not in use, lock or remove ladders to prevent access by children.

Other protection products, when used with an "isolation" fence, may be of some benefit; however, these are not substitutes for adequate fencing.

These may include

- Automatic pool covers (motorized covers operated by a switch). Pool covers should cover the entire pool so that a child can't slip under them. Make sure there is no standing water on top of the pool cover. Be aware that floating solar covers are *not* safety covers.
- Door alarms pool alarms, and window guards.
- Doors to the house that are self-closing or self-latching.

Swimming Lessons

Children need to learn to swim. The AAP supports swimming lessons for most children 4 years and older and for children 1 to 4 years of age who are ready to learn how to swim. Keep in mind that because children

Don't Drink and Swim

Swimmers are at serious risk of drowning when they drink alcohol or use other drugs while swimming, diving, and playing water sports. These activities require clear thinking, coordination, and the ability to judge distance, depth, speed, and direction. Alcohol impairs all of these skills. People who are supervising other swimmers should not be using alcohol or drugs.

develop at different rates, each child will be ready to swim at her own time. Also, swimming lessons do not provide "drown-proofing" for children of any age, so supervision and other layers of protection are necessary—even for children who have learned swimming skills.

Some factors you may consider before starting swimming lessons for younger children include frequency of exposure to water, emotional maturity, physical limitations, and health concerns related to swimming pools (for example, swallowing water, infections, pool chemicals). While some swim programs claim to teach water survival skills to infants younger than 12 months, evidence does not show that they are effective in preventing drowning.

Swim classes should be taught by qualified teachers. For children younger than 3 years, the World Aquatic Babies & Children Network recommends that parents must participate, the time the head is submerged underwater is limited (swallowing too much water can make your child sick), and classes should be fun and include one-on-one teaching.

Pool conditions should be monitored to make sure chemical and water temperature levels are safe. Another safety measure is to check with the pool operator if there are protective drain covers or vacuum release systems.

Diving

Serious spinal cord injuries, permanent brain damage, and death can occur to swimmers who dive into shallow water or spring upward on the diving board and hit it on the way down.

Keep safe by following these simple commonsense diving rules.

- Check how deep the water is. Enter the water feetfirst, especially when going in for the first time.
- Never dive into aboveground pools.
- Never dive into the shallow end of a pool.
- Never dive through inner tubes or other pool toys.
- Learn how to dive properly by taking classes.

Water Safety in Other Bodies of Water

Swimming in a pool is different from swimming in other bodies of water. In addition to rules for pool safety, parents and children should know the rules for swimming in oceans, lakes, ponds, rivers, and streams.

These include

- Never swim without adult supervision.
- Never dive into water unless an adult who knows the depth of the water says it's OK.

- Always use an approved personal flotation device (life jacket or life vest) when boating, riding on a personal watercraft, fishing, waterskiing, or playing in a river or stream. Water wings and other blow-up swimming aids should not be used in place of life jackets.
- Never try water sports such as skiing, scuba diving, or snorkeling without instructions from a qualified teacher.
- Never swim around anchored boats, in motorboat lanes, or where people are waterskiing.
- Never swim during electrical storms.
- If you swim or drift far from shore, stay calm and tread water, or float on your back until help arrives.
- Other water hazards found near many homes include canals, ditches, potholes, wells, fishponds, and fountains. Watch your child closely if he is playing near any of these areas.

Life Jackets and Life Preservers

If your family enjoys spending time on the water, make sure everyone wears an approved personal flotation device or life jacket. Some people think life jackets are hot, bulky, and ugly. However, today's models have improved in looks, comfort, and protection. Many states require the use of life jackets and life preservers. They must be present on all boats traveling in water supervised by the US Coast Guard. Remember, without wearing a life jacket, your child is not protected.

Keep the following tips in mind:

- A life jacket should not take the place of adult supervision.
- Choose a life jacket that fits your child's weight and age. It should be approved by the US Coast Guard and tested by Underwriters Laboratories (UL). Check the label to be sure. The label should also say whether the jacket is made for an adult or a child.
- Teach your child how to put on her own life jacket and make sure it is worn the right way.
- Blow-up water wings, toys, rafts, and air mattresses should never be used as life jackets or life preservers.

In an Emergency

Here are ways to be ready for an emergency.

- **Learn CPR.** Anyone caring for or watching children should know CPR (cardiopulmonary resuscitation). CPR can save a life and help reduce injury after a near drowning. The American Red Cross, the American Heart Association, and your local hospital or fire department offer CPR training.
- **Always have a phone near the pool.** Clearly post your local emergency phone number (usually 911).
- **Post safety and CPR instructions at poolside.**
- **Make sure all rescue equipment is nearby.** This includes a shepherd hook, safety ring, and rope.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



healthychildren.org

Powered by pediatricians. Trusted by parents.
from the American Academy of Pediatrics



The American Academy of Pediatrics (AAP) is an organization of 66,000 primary care pediatricians, pediatric medical subspecialists, and pediatric surgical specialists dedicated to the health, safety, and well-being of infants, children, adolescents, and young adults.

The persons whose photographs are depicted in this publication are professional models. They have no relation to the issues discussed. Any characters they are portraying are fictional. The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

© 2018 American Academy of Pediatrics. All rights reserved.

Parent Resources for Babies up to 1 year

There are so many resources available online for parents. Who do you trust? Here are some links approved by your pediatrician, and the American Academy of Pediatrics.

<p>Healthy Children.org has a wealth of information for parents, including a Symptom checker, ideas for challenging your child to grow in development, and answers to questions about care of your child. https://www.healthychildren.org/English/Pages/default.aspx</p>	
<p>Care of Baby's Penis https://www.healthychildren.org/English/ages-stages/baby/bathing-skin-care/Pages/Caring-For-Your-Sons-Penis.aspx</p>	
<p>Post-Partum Depression - Speak Up When You're Down https://www.healthychildren.org/English/ages-stages/prenatal/delivery-beyond/Pages/Understanding-Motherhood-and-Mood-Baby-Blues-and-Beyond.aspx</p>	
<p>When Your Child Needs Emergency Care – What to do? https://www.healthychildren.org/English/health-issues/injuries-emergencies/Pages/When-Your-Child-Needs-Emergency-Medical-Services.aspx</p>	
<p>How and When to Introduce Solid Foods. The Baby-led Weaning website and pamphlet has helpful information on helping your baby move on to family meals. http://www.rapleyweaning.com/assets/blwleaflet2.pdf</p>	
<p>When does my baby need a new car seat? All the things you need to know about rear-facing car seats for infants and toddlers. https://www.healthychildren.org/English/safety-prevention/on-the-go/Pages/Rear-Facing-Car-Seats-for-Infants-Toddlers.aspx</p>	
<p>How do I safely take my baby for a bike ride? When are they old enough? https://www.healthychildren.org/English/safety-prevention/at-play/Pages/Baby-On-Board-Keeping-Safe-On-A-Bike.aspx</p>	

If you don't have a QR code reader on your phone, try these:

Apple iPhone: Go to the App Store and search for "QR Reader". It's free; no ads.

Android: Go to Google Play Store and search for "QR Code Reader". It's free; no ads.