



BRIGHT FUTURES HANDOUT ► PARENT

18 MONTH VISIT

Here are some suggestions from Bright Futures experts that may be of value to your family.

✓ YOUR CHILD'S BEHAVIOR

- Expect your child to cling to you in new situations or to be anxious around strangers.
- Play with your child each day by doing things she likes.
- Be consistent in discipline and setting limits for your child.
- Plan ahead for difficult situations and try things that can make them easier. Think about your day and your child's energy and mood.
- Wait until your child is ready for toilet training. Signs of being ready for toilet training include
 - Staying dry for 2 hours
 - Knowing if she is wet or dry
 - Can pull pants down and up
 - Wanting to learn
 - Can tell you if she is going to have a bowel movement
- Read books about toilet training with your child.
- Praise sitting on the potty or toilet.
- If you are expecting a new baby, you can read books about being a big brother or sister.
- Recognize what your child is able to do. Don't ask her to do things she is not ready to do at this age.

✓ TALKING AND HEARING

- Read and sing to your child often.
- Talk about and describe pictures in books.
- Use simple words with your child.
- Suggest words that describe emotions to help your child learn the language of feelings.
- Ask your child simple questions, offer praise for answers, and explain simply.
- Use simple, clear words to tell your child what you want him to do.

✓ HEALTHY EATING

- Offer your child a variety of healthy foods and snacks, especially vegetables, fruits, and lean protein.
- Give one bigger meal and a few smaller snacks or meals each day.
- Let your child decide how much to eat.
- Give your child 16 to 24 oz of milk each day.
- Know that you don't need to give your child juice. If you do, don't give more than 4 oz a day of 100% juice and serve it with meals.
- Give your toddler many chances to try a new food. Allow her to touch and put new food into her mouth so she can learn about them.

✓ YOUR CHILD AND TV

- Do activities with your child such as reading, playing games, and singing.
- Be active together as a family. Make sure your child is active at home, in child care, and with sitters.
- If you choose to introduce media now,
 - Choose high-quality programs and apps.
 - Use them together.
 - Limit viewing to 1 hour or less each day.
- Avoid using TV, tablets, or smartphones to keep your child busy.
- Be aware of how much media you use.

Helpful Resources: Poison Help Line: 800-222-1222

Information About Car Safety Seats: www.safercar.gov/parents | Toll-free Auto Safety Hotline: 888-327-4236

18 MONTH VISIT—PARENT



SAFETY

- Make sure your child's car safety seat is rear facing until he reaches the highest weight or height allowed by the car safety seat's manufacturer. This will probably be after the second birthday.
- Never put your child in the front seat of a vehicle that has a passenger airbag. The back seat is the safest.
- Everyone should wear a seat belt in the car.
- Keep poisons, medicines, and lawn and cleaning supplies in locked cabinets, out of your child's sight and reach.
- Put the Poison Help number into all phones, including cell phones. Call if you are worried your child has swallowed something harmful. Do not make your child vomit.
- When you go out, put a hat on your child, have him wear sun protection clothing, and apply sunscreen with SPF of 15 or higher on his exposed skin. Limit time outside when the sun is strongest (11:00 am–3:00 pm).
- If it is necessary to keep a gun in your home, store it unloaded and locked with the ammunition locked separately.

WHAT TO EXPECT AT YOUR CHILD'S 2 YEAR VISIT

We will talk about

- Caring for your child, your family, and yourself
- Handling your child's behavior
- Supporting your talking child
- Starting toilet training
- Keeping your child safe at home, outside, and in the car

Consistent with *Bright Futures: Guidelines for Health Supervision of Infants, Children, and Adolescents*, 4th Edition

For more information, go to <https://brightfutures.aap.org>.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®




The information contained in this handout should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances. Original handout included as part of the *Bright Futures Tool and Resource Kit*, 2nd Edition.

Inclusion in this handout does not imply an endorsement by the American Academy of Pediatrics (AAP). The AAP is not responsible for the content of the resources mentioned in this handout. Web site addresses are as current as possible but may change at any time.

The American Academy of Pediatrics (AAP) does not review or endorse any modifications made to this handout and in no event shall the AAP be liable for any such changes.

© 2019 American Academy of Pediatrics. All rights reserved.

Your Child at 18 Months (1½ Yrs)★



Child's Name _____

Child's Age _____

Today's Date _____

Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by 18 months. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What Most Children Do by this Age:

Social/Emotional

- Likes to hand things to others as play
- May have temper tantrums
- May be afraid of strangers
- Shows affection to familiar people
- Plays simple pretend, such as feeding a doll
- May cling to caregivers in new situations
- Points to show others something interesting
- Explores alone but with parent close by

Language/Communication

- Says several single words
- Says and shakes head "no"
- Points to show someone what he wants

Cognitive (learning, thinking, problem-solving)

- Knows what ordinary things are for; for example, telephone, brush, spoon
- Points to get the attention of others
- Shows interest in a doll or stuffed animal by pretending to feed
- Points to one body part
- Scribbles on his own
- Can follow 1-step verbal commands without any gestures; for example, sits when you say "sit down"

Movement/Physical Development

- Walks alone
- May walk up steps and run
- Pulls toys while walking
- Can help undress herself
- Drinks from a cup
- Eats with a spoon

You Know Your Child Best.

Act early if you have concerns about the way your child plays, learns, speaks, acts, or moves, or if your child:

- Is missing milestones
- Doesn't point to show things to others
- Can't walk
- Doesn't know what familiar things are for
- Doesn't copy others
- Doesn't gain new words
- Doesn't have at least 6 words
- Doesn't notice or mind when a caregiver leaves or returns
- Loses skills he once had

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay and ask for a developmental screening.

If you or the doctor is still concerned

1. Ask for a referral to a specialist and,
2. Call your state or territory's early intervention program to find out if your child can get services to help. Learn more and find the number at cdc.gov/FindEI.

For more information, go to cdc.gov/Concerned.

DON'T WAIT.
Acting early can make a real difference!

★ It's time for developmental screening!

At 18 months, your child is due for general developmental screening and an autism screening, as recommended for all children by the American Academy of Pediatrics. Ask the doctor about your child's developmental screening.



www.cdc.gov/ActEarly
1-800-CDC-INFO (1-800-232-4636)



Download CDC's
Milestone Tracker App



Learn the Signs. Act Early.

Help Your Child Learn and Grow

You can help your child learn and grow. Talk, read, sing, and play together every day. Below are some activities to enjoy with your 18-month-old child today.



What You Can Do for Your 18-Month-Old:

- Provide a safe, loving environment. It's important to be consistent and predictable.
- Praise good behaviors more than you punish bad behaviors (use only very brief time outs).
- Describe her emotions. For example, say, "You are happy when we read this book."
- Encourage pretend play.
- Encourage empathy. For example, when he sees a child who is sad, encourage him to hug or pat the other child.
- Read books and talk about the pictures using simple words.
- Copy your child's words.
- Use words that describe feelings and emotions.
- Use simple, clear phrases.
- Ask simple questions.
- Hide things under blankets and pillows and encourage him to find them.
- Play with blocks, balls, puzzles, books, and toys that teach cause and effect and problem solving.
- Name pictures in books and body parts.
- Provide toys that encourage pretend play; for example, dolls, play telephones.
- Provide safe areas for your child to walk and move around in.
- Provide toys that she can push or pull safely.
- Provide balls for her to kick, roll, and throw.
- Encourage him to drink from his cup and use a spoon, no matter how messy.
- Blow bubbles and let your child pop them.


Milestones adapted from *CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5*, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann © 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and *BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS*, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics.

This milestone checklist is not a substitute for a standardized, validated developmental screening tool.

www.cdc.gov/ActEarly | 1-800-CDC-INFO (1-800-232-4636)



Learn the Signs. Act Early.



**CONNECTED
KIDS**
Safe Strong Secure™
A program of the American Academy of Pediatrics

YOUR CHILD IS ON THE MOVE: REDUCE THE RISK OF GUN INJURY

PROTECTING YOUR CHILD FROM GUN INJURY

- A home is safer without a handgun.
- In homes with guns, children are safest if both
 - Guns are stored unloaded and locked up or with a trigger lock
 - Bullets are stored and locked in another place
- Even if you do not own a gun, you need to make sure that the homes your child visits are safe too.


Children love to explore. As they learn new skills, like crawling, walking, climbing, or running, there are more ways of getting into trouble! Much of this trouble will be small. But, if there is a gun in the house, a child's curiosity can lead to severe injury or death.

FACT: Nearly 40% of the homes with children in the United States have a gun.

FACT: Children as young as 3 years may be strong enough to pull the trigger on a handgun.

FACT: Every other day, on average, an American child under age 10 is killed or disabled with a gun.

When it comes to guns, parents can't be too careful!



PARENT NEED TO ASK

Asking Saves Kids

Even if you do not own a gun, ask your neighbors, friends, and family if they do before your child visits their homes.

- If they don't, that's one less thing you have to worry about.
- If they do, keep your child away from homes where there are guns or where guns are not stored safely.

Sometimes it can be hard for a parent to ask about guns. One mother asks this way, "My child is very curious. Do you have guns or anything dangerous that he might get into?"



Some people may not agree with you, but it's important that you talk with them about your concerns. Here are some tips to make asking about guns easier

- Bring up the topic when you are talking about other health and safety issues, such as car seats, seat belts, pets, or allergies.
- Share facts about gun safety. You are not judging people you just want to make sure your child is safe.

COMMONLY ASKED QUESTIONS

"With so much violence, isn't it safer for me to have a handgun in my home to protect my family?"

No. In homes with handguns, it is much more likely that the handgun will be used to shoot a family member or friend than in self-defense.

Every year, thousands of Americans are seriously injured or killed when

- A child finds a gun or is showing a friend the gun kept at home and, without meaning to, pulls the trigger.
- A depressed teenager or adult becomes suicidal.
- An argument between family members gets out of control.
- A friend or family member is mistaken for an intruder.

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

The persons whose photographs are depicted in this publication are professional models. They have no relation to the issues discussed. Any characters they are portraying are fictional.

Listing of resources does not imply an endorsement by the American Academy of Pediatrics (AAP). The AAP is not responsible for the content of external resources. Information was current at the time of publication.

The American Academy of Pediatrics is an organization of 66,000 primary care pediatricians, pediatric medical subspecialists, and pediatric surgical specialists dedicated to the health, safety, and well-being of infants, children, adolescents, and young adults.

The original version of this product was developed in part with a generous grant from the American Legion Child Welfare Foundation and the American Academy of Pediatrics Friends of Children Fund. This project was supported by Grant No. 2001-JN-FX-0011 awarded by the Office of Juvenile Justice and Delinquency Prevention, Office of Justice Programs, U.S. Department of Justice. Points of view or opinions in this document are those of the author and do not necessarily represent the official position or policies of the U.S. Department of Justice.


© 2018 American Academy of Pediatrics. All rights reserved.

"Can't I just hide my gun and teach my child not to touch it?"

No. Children need better protection from guns.

- Exploring and playing are the ways children learn about the world.
- Any child's curiosity and urge to discover new things can overcome a parent's warnings. Young children simply do not understand how dangerous guns can be.
- Young children are not able to tell the difference between toy guns and real guns.
- Many TV shootings do not look dangerous or deadly.
- The only safe way to hide a gun is to lock it up.

In one mother's words: "My brothers admitted as adults that as children they would go in my dad's room and take out the gun and play with it." This family was lucky, but many others are not.



A Guide to Children's Dental Health

The road to a bright smile begins long before the first tooth appears. Parents play a big part in helping their children develop healthy teeth. Early monitoring by your child's doctor and dentist is important.

Steps to good dental health include

- Regular care by a dentist trained to treat young children (See *What is a pediatric dentist?*)
- Getting enough fluoride
- Regular brushing and flossing
- Eating right

Read on for information from the American Academy of Pediatrics (AAP) about why fluoride is important, when to start cleaning your child's teeth, if pacifier use or thumb-sucking hurts teeth, how to prevent tooth decay, pediatric dentists, and regular dental checkups.

Why is fluoride important?

Fluoride is a natural substance that can be added to drinking water and toothpaste. It strengthens tooth enamel (the hard outer coating on teeth). Fluoride also helps repair early damage to teeth.

Children should drink water with fluoride in it when available. If not available, talk with your child's doctor or pediatric dentist to see if your child needs fluoride tablets or drops. Your child may also have fluoride varnish applied to his teeth by his doctor or pediatric dentist.

When should I start cleaning my child's teeth?

Daily tooth cleaning should start as soon as your baby's first tooth appears. Wipe the teeth with a piece of gauze or a damp cloth at least twice daily, after meals. Switch to a soft toothbrush with a fluoride toothpaste once your child has a tooth.

A smear (the size of a grain of rice) of fluoride toothpaste should be used for children younger than 3 years. For children 3 and older, a pea-sized amount of fluoride toothpaste should be used. Because children tend to swallow toothpaste, using too much fluoride toothpaste while brushing may result in fluorosis (spotting of the teeth).

Also, check the teeth for early signs of tooth decay. Tooth decay appears as white, yellow, or brown spots or lines on the teeth. Any 2 teeth that are touching each other should be flossed to prevent a cavity from forming between the teeth. An ideal baby bite should have gaps between the front teeth.

Does pacifier use or thumb-sucking hurt teeth?

If a child sucks strongly on a pacifier, his thumb, or his fingers, this habit may affect the shape of his mouth or how his teeth are lining up. If he stops using a pacifier by 3 years of age, his bite will most likely correct itself. If he stops sucking on a pacifier, his thumb, or his fingers before his permanent front teeth come in, there's a chance his bite will correct itself. If he continues his sucking habit after his adult teeth have come in, orthodontic care may be needed to realign his teeth.

How can I prevent tooth decay in my baby or child?

Parents, especially if they have a history of cavities, can pass germs that cause cavities and gum disease if they share food or drinks with their children. This is why it is important for parents to keep the following tips in mind:

- Do not share your food or drinks with your children.
- Do not lick your children's spoons, forks, or pacifiers.
- Do make sure to keep your gums and teeth healthy and schedule regular dental checkups. Pregnant women should make sure their gums and teeth are healthy too.

Other ways parents can help prevent tooth decay in their babies and children include

- If you put your child to bed with a bottle, fill it only with water.
- If your child drinks from a bottle or sippy cup, make sure to fill it only with water when it's not mealtime.
- If your child wants a snack, offer a healthy one like fruits or vegetables. (To help your child avoid choking, make sure anything you give your child is soft, easy to swallow, and cut into small pieces no larger than one-half an inch.)
- Avoid sweet or sticky snacks, such as raisins, gummy candies and vitamins, or Fruit Roll-Ups or cookies. There is sugar in foods like crackers and chips too. They should only be eaten at mealtime.
- If your child is thirsty, give her water or milk. If your child drinks milk at bedtime, make sure to clean her teeth afterward. Don't let your child sip drinks that have sugar and acid, such as juices, sports drinks, flavored drinks, lemonade, soft drinks (soda, pop), or flavored teas.

What is a pediatric dentist?

During regular well-child visits, your child's pediatrician will check your child's teeth and gums to make sure they are healthy. If your child has dental problems, your child's pediatrician will refer her to a pediatric dentist or a general dentist trained to treat young children.

A pediatric dentist specializes in the care of children's teeth, but some general dentists also treat children. Pediatricians refer children younger than 1 year to a dental professional if the child

- Chips or injures a tooth or has an injury to the face or mouth.
- Has teeth that show any signs of discoloration. This could be a sign of tooth decay or trauma.
- Complains of tooth pain or is sensitive to hot or cold foods or liquids. This could also be a sign of decay.
- Has any abnormal lesion (growth) inside the mouth.
- Has an unusual bite (the teeth do not fit together right).

Find a pediatric dentist in your area on the American Academy of Pediatric Dentistry Web site at www.aapd.org.

When should my child begin regular dental checkups?

From Your Doctor 

The AAP recommends that all infants receive oral health risk assessments by 6 months of age. Infants at higher risk of early dental caries should be referred to a dentist as early as 6 months of age, and no later than 6 months after the first tooth erupts or 12 months of age (whichever comes first) to establish their dental home. Every child should have a dental home established by 12 months of age.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



healthychildren.org

Powered by pediatricians. Trusted by parents.
from the American Academy of Pediatrics








The American Academy of Pediatrics (AAP) is an organization of 66,000 primary care pediatricians, pediatric medical subspecialists, and pediatric surgical specialists dedicated to the health, safety, and well-being of infants, children, adolescents, and young adults.

The persons whose photographs are depicted in this publication are professional models. They have no relation to the issues discussed. Any characters they are portraying are fictional. Listing of resources does not imply an endorsement by the American Academy of Pediatrics (AAP). The AAP is not responsible for the content of external resources. Information was current at the time of publication. Products are mentioned for informational purposes only and do not imply an endorsement by the American Academy of Pediatrics. The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

© 2016 American Academy of Pediatrics, Reaffirmed 07/2017. All rights reserved.

Parent Resources for Toddlers

There are so many resources available online for parents. Who do you trust? Here are some links approved by your pediatrician, and the American Academy of Pediatrics.

<p>Healthy Children.org has a wealth of information for parents, including a Symptom checker, ideas for challenging your child to grow in development, and answers to questions about care of your child. https://www.healthychildren.org/English/Pages/default.aspx</p>	
<p>When Your Child Needs Emergency Care – What to do? https://www.healthychildren.org/English/health-issues/injuries-emergencies/Pages/When-Your-Child-Needs-Emergency-Medical-Services.aspx</p>	
<p>How do I encourage healthy eating? What do I do with a picky eater? This website has ideas our pediatricians use with their own children. https://www.ellynsatterinstitute.org/how-to-feed/</p>	
<p>When does my baby need a new car seat? All the things you need to know about rear-facing car seats for infants and toddlers. https://www.healthychildren.org/English/safety-prevention/on-the-go/Pages/Rear-Facing-Car-Seats-for-Infants-Toddlers.aspx</p>	
<p>How do I safely take my baby for a bike ride? When are they old enough? https://www.healthychildren.org/English/safety-prevention/at-play/Pages/Baby-On-Board-Keeping-Safe-On-A-Bike.aspx</p>	
<p>Choking Hazards for young children – babies and toddlers are at a higher risk for choking than older children. Here's a short video on what you can do to prevent it, and how you can help if your baby starts to choke on something. https://www.healthychildren.org/English/safety-prevention/at-home/Pages/Choking-Hazards-Parents-of-Young-Children-Should-Know-About.aspx</p>	
<p>Watch your young toddler near the water! Children don't understand the danger. Here are some tips to keep them safe. https://www.healthychildren.org/English/safety-prevention/at-play/Pages/Swimming-Pool-Safety.aspx</p>	

If you don't have a QR code reader on your phone, try these:

Apple iPhone: Go to the App Store and search for "QR Reader". It's free; no ads.

Android: Go to Google Play Store and search for "QR Code Reader". It's free; no ads.